



10/538764

FIG. 1



10/538764


FIG. 2




10/538764

FIG. 3

(a) STRUCTURE OF GAME PROGRAM




(b) STRUCTURE OF EXECUTION CONTROL PROGRAM




10/538764

FIG. 4




10/538764

FIG. 5




10/538764

FIG. 6



10/538764

FIG. 7



10/538764

FIG. 8

(a)

240

USER INFORMATION DATA BASE				
USER ID	PW	MAC ADDRESS	SESSION ID	OTHER
Interlex	Buddy	00-11-22-33-44-AA	Aaabbbccccc...	

(b)

250

GAME INFORMATION DATA BASE					
GAME ID	GAME NAME	GAME INFORMATION	DECODING KEY	STARTING ARGUMENT	REPORTING MODE

FIRST TIME ONLY

EACH TIME STARTED

MONITORING PRIORITY


LOAD REDUCTION

(c)

260


MONITORING CONDITION DATA BASE					
USER ID	REPORTING PERIOD	PLANNED REPORTING TIME	GAME ID	GAME STARTING TIME	OTHER
USER 1	30 MINUTE INTERVALS	16:25	GAME 1	13:01	
USER 2	40 MINUTE INTERVALS	16:00	GAME 2	15:20	
USER 3	10 MINUTE INTERVALS	16:00	GAME 3	15:30	

FIG. 9



10/538764


FIG. 10



10/13


10/538764

FIG. 11



10/538764

FIG. 12



10/538764

FIG. 13

